

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	282	stack near5 (unwind\$3 un adj wind\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L5	952	call adj stack	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L9	4	(creat\$3 generat\$3 build\$3 compil\$3) adj5 unwind adj table	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L10	4	(creat\$3 generat\$3 build\$3 compil\$3) adj5 (unwind adj table call adj stack adj record)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L12	1604	714/38.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L13	16	714/38.ccls. and unwind	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L15	2394	714/37-39.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L16	1551	714/37-39.ccls. and state	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L19	166	(metadata meta adj data) near5 associat\$3 near5 (function procedure)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L24	16	procedure adj (metadata meta adj data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L28	73	(walk\$3 near5 stack) and unwind	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41

EAST Search History

L37	3306	(binary adj5 (procedure instruction))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L38	447	(binary adj (procedure instruction))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L42	2330	714/34.ccls. 714/35.ccls. 714/45.ccls. 714/38.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L44	0	("stack").PN.	USOCR; DERWENT	OR	OFF	2006/04/03 09:41
L53	282	stack near5 (unwind\$3 un adj wind\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L54	952	call adj stack	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L55	4	(creat\$3 generat\$3 build\$3 compil\$3) adj5 unwind adj table	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L56	4	(creat\$3 generat\$3 build\$3 compil\$3) adj5 (unwind adj table call adj stack adj record)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L57	1604	714/38.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L58	16	714/38.ccls. and unwind	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L59	2394	714/37-39.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L60	1551	714/37-39.ccls. and state	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41

EAST Search History

L61	166	(metadata meta adj data) near5 associat\$3 near5 (function procedure)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L62	16	procedure adj (metadata meta adj data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L63	73	(walk\$3 near5 stack) and unwind	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L64	3306	(binary adj5 (procedure instruction))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L65	447	(binary adj (procedure instruction))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L66	2330	714/34.ccls. 714/35.ccls. 714/45. ccls. 714/38.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L67	0	("stack").PN.	USOCR; DERWENT	OR	OFF	2006/04/03 09:41
L104	282	stack near5 (unwind\$3 un adj wind\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L105	952	call adj stack	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L106	4	(creat\$3 generat\$3 build\$3 compil\$3) adj5 unwind adj table	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L107	4	(creat\$3 generat\$3 build\$3 compil\$3) adj5 (unwind adj table call adj stack adj record)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L108	1604	714/38.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41

EAST Search History

L109	16	714/38.ccls. and unwind	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L110	2394	714/37-39.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L111	1551	714/37-39.ccls. and state	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L112	166	(metadata meta adj data) near5 associat\$3 near5 (function procedure)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L113	16	procedure adj (metadata meta adj data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L114	73	(walk\$3 near5 stack) and unwind	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L115	3306	(binary adj5 (procedure instruction))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L116	447	(binary adj (procedure instruction))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L117	2330	714/34.ccls. 714/35.ccls. 714/45. ccls. 714/38.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L118	0	("stack").PN.	USOCR; DERWENT	OR	OFF	2006/04/03 09:41
L119	282	stack near5 (unwind\$3 un adj wind\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L120	952	call adj stack	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41

EAST Search History

L121	4	(creat\$3 generat\$3 build\$3 compil\$3) adj5 unwind adj table	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L122	4	(creat\$3 generat\$3 build\$3 compil\$3) adj5 (unwind adj table call adj stack adj record)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L123	1604	714/38.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L124	16	714/38.ccls. and unwind	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L125	2394	714/37-39.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L126	1551	714/37-39.ccls. and state	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
L127	166	(metadata meta adj data) near5 associat\$3 near5 (function procedure)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/03 09:41
S1	1	"20030101380".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/13 13:17
S2	659	(creat\$3 build\$3 compil\$3 stor\$3 generat\$3) near5 (metadata meta adj data attribute data) adj5 (binary object executable machine) adj (code procedure function)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/21 11:12
S3	17	((creat\$3 build\$3 compil\$3 stor\$3 produc\$3) near5 (metadata meta adj data)) near5 ((binary object executable machine) adj (code procedure function))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/21 14:43
S4	179	stack near5 (unwind\$3 un adj wind\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/22 11:39

EAST Search History

S5	625	call adj stack	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/23 10:15
S6	57	(stack near5 (unwind\$3 un adj wind\$3)) and ((address\$3 data operation system user adj defin\$3 fatal over adj flow overflow under adj flow underflow protection undefined reset interrupt divide adj by adj zero privledged reserved trap undefined critical catastrophic) near5 (exception error interrupt))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/23 10:15
S7	11	unwind adj table	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/23 10:31
S8	5	(unwind adj table) and (call adj stack)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/23 10:16
S9	4	(creat\$3 generat\$3 build\$3 compil\$3) adj5 unwind adj table	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/23 10:32
S10	4	(creat\$3 generat\$3 build\$3 compil\$3) adj5 (unwind adj table call adj stack adj record)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/23 10:33
S11	9	(creat\$3 generat\$3 build\$3 compil\$3) adj5 ((unwind un adj wind) adj table call adj stack adj3 (table record))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/23 10:40
S12	1253	714/38.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/23 10:40
S13	10	714/38.ccls. and unwind	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/23 10:40
S14	9	(714/38.ccls. and unwind) not ((creat\$3 generat\$3 build\$3 compil\$3) adj5 ((unwind un adj wind) adj table call adj stack adj3 (table record)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/23 12:05
S15	1846	714/37-39.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/23 12:06

EAST Search History

S16	1163	714/37-39.ccls. and state	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/23 12:06
S17	270	(714/37-39.ccls. and state) and stack	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/23 12:07
S18	5	(714/37-39.ccls. and state) and stack adj unwind\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/23 12:12
S19	75	(metadata meta adj data) near5 associat\$3 near5 (function procedure)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/23 12:25
S20	27	(metadata meta adj data) adj5 associat\$3 adj5 (function procedure)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/23 12:25
S21	7	unwind adj data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/02 10:03
S22	1254	714/38.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/02 09:54
S23	1636	translat\$3 adj10 (relationship)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/02 10:05
S24	12	procedure adj (metadata meta adj data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/02 11:25
S25	244	coutant.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/02 15:44
S26	1	((("5327566" "5428779" "5530870" "5535397" "5564031" "5628016" "5640582").pn.) and unwind	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/03 12:46
S27	209	walk\$3 near5 stack	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/03 15:48

EAST Search History

S28	33	(walk\$3 near5 stack) and unwind	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/03 12:47
S29	1	(generat\$3 creat\$3 build\$3 form\$3) near5 (meta adj data or data or metadata) near5 ((code or binary or executable) near (data or metadata) near relationship)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/03 15:56
S30	4170	(generat\$3 creat\$3 build\$3 form\$3) near5 (meta adj data or data or metadata code) near5 (coorespond\$3 relationship)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/03 16:01
S31	71	(generat\$3 creat\$3) adj (metadata data meta adj data) adj (software program excutable)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/04 10:24
S32	1	(generat\$3 creat\$3) adj (metadata data meta adj data) adj (about for) adj (software program excutable)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/04 10:26
S33	251	((generat\$3 creat\$3) adj (metadata data meta adj data)) and profiler	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/04 10:26
S34	177	(generat\$3 creat\$3) adj (profile adj data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/04 11:57
S35	1	"5815720".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/04 11:57
S36	173	(reorder re adj order) adj (procedure instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/10 11:13
S37	2628	(binary adj5 (procedure instruction))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/10 11:14
S38	342	(binary adj (procedure instruction))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/10 11:14
S39	50	(reorder re adj order order) near5 (binary adj5 (procedure instruction))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/10 11:15

EAST Search History

S40	994	(block near5 (instruction procedure)) same (remap\$4 rewrit\$3 unwind\$3 reorder\$3 modif\$7 customiz\$5 re adj (map\$4 writ\$3 order\$3)) same (stack metadata meta adj data data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/10 17:34
S42	153	((instruction procedure function code binary) near5 (relat\$3 coorelat\$3 coorespond\$3) near5 (stack metadata meta adj data data unwind stack adj walk)) and ((block near5 (instruction procedure)) same (remap\$4 rewrit\$3 unwind\$3 reorder\$3 modif\$7 customiz\$5 re adj (map\$4 writ\$3 order\$3)) same (stack metadata meta adj data data))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/10 18:21
S43	1849	714/34.ccls. 714/35.ccls. 714/45.ccls. 714/38.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/10 18:24
S44	95	(714/34.ccls. 714/35.ccls. 714/45.ccls. 714/38.ccls.) and ((instruction procedure function code binary) near5 (relat\$3 coorelat\$3 coorespond\$3) near5 (stack metadata meta adj data data unwind stack adj walk))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/10 18:25
S46	0	("stack").PN.	USOCR; DERWENT	OR	OFF	2004/08/11 08:22
S48	1	((instruction procedure function code binary) near5 (relat\$3 coorelat\$3 coorespond\$3) near5 (stack metadata meta adj data data unwind stack adj walk)) and ((block near5 (instruction procedure)) same (remap\$4 rewrit\$3 unwind\$3 reorder\$3 modif\$7 customiz\$5 re adj (map\$4 writ\$3 order\$3)) same (stack metadata meta adj data data))	DERWENT	OR	ON	2004/08/11 08:25
S49	8	stack adj (walk\$3 unwind\$3)	DERWENT	OR	ON	2004/08/11 09:12
S50	247	exception adj handl\$4	DERWENT	OR	ON	2004/08/11 09:12
S51	51	call adj stack	DERWENT	OR	ON	2004/08/11 09:21
S52	1	("5802371").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/08/11 09:21

EAST Search History

S53	1	"5802371".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/13 13:17
S54	51	(US-6618824-\$ or US-5335344-\$ or US-5193180-\$ or US-6604210-\$ or US-6293712-\$ or US-6173421-\$ or US-6014515-\$ or US-5339431-\$ or US-6735758-\$ or US-6662358-\$ or US-6658652-\$ or US-6553564-\$ or US-6513155-\$ or US-6728949-\$ or US-6539339-\$ or US-6349406-\$ or US-6094529-\$ or US-6484274-\$ or US-6381739-\$ or US-6182243-\$ or US-5450575-\$ or US-4720778-\$ or US-5699507-\$ or US-5675730-\$ or US-5600790-\$ or US-4694420-\$). did. or (US-3707725-\$ or US-6535903-\$ or US-6122757-\$ or US-6662356-\$ or US-5742827-\$ or US-5768595-\$ or US-5960198-\$ or US-6631514-\$ or US-5721927-\$ or US-5889999-\$ or US-5740354-\$ or US-5347649-\$ or US-6018799-\$ or US-5127103-\$).did. or (US-20040107217-\$ or US-20030023905-\$ or US-20030115582-\$ or US-20020032718-\$ or US-20040083460-\$ or US-20020112116-\$ or US-20030192036-\$ or US-20020124240-\$).did. or (US-20020188931-\$ or US-6293712-\$ or US-6014515-\$). did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/10/15 10:25

EAST Search History

S56	26	((US-6618824-\$ or US-5335344-\$ or US-5193180-\$ or US-6604210-\$ or US-6293712-\$ or US-6173421-\$ or US-6014515-\$ or US-5339431-\$ or US-6735758-\$ or US-6662358-\$ or US-6658652-\$ or US-6553564-\$ or US-6513155-\$ or US-6728949-\$ or US-6539339-\$ or US-6349406-\$ or US-6094529-\$ or US-6484274-\$ or US-6381739-\$ or US-6182243-\$ or US-5450575-\$ or US-4720778-\$ or US-5699507-\$ or US-5675730-\$ or US-5600790-\$ or US-4694420-\$). did. or (US-3707725-\$ or US-6535903-\$ or US-6122757-\$ or US-6662356-\$ or US-5742827-\$ or US-5768595-\$ or US-5960198-\$ or US-6631514-\$ or US-5721927-\$ or US-5889999-\$ or US-5740354-\$ or US-5347649-\$ or US-6018799-\$ or US-5127103-\$).did. or (US-20040107217-\$ or US-20030023905-\$ or US-20030115582-\$ or US-20020032718-\$ or US-20040083460-\$ or US-20020112116-\$ or US-20030192036-\$ or US-20020124240-\$).did. or (US-20020188931-\$ or US-6293712-\$ or US-6014515-\$). did.) and ((modif\$7 chang\$3 add\$3) near2 (code procedure function program binary) and zero)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/15 10:27
S12 0	1	"20030101380".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15
S12 1	759	(creat\$3 build\$3 compil\$3 stor\$3 generat\$3) near5 (metadata meta adj data attribute data) adj5 (binary object executable machine) adj (code procedure function)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15
S12 2	20	((creat\$3 build\$3 compil\$3 stor\$3 produc\$3) near5 (metadata meta adj data)) near5 ((binary object executable machine) adj (code procedure function))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15
S12 3	223	stack near5 (unwind\$3 un adj wind\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15

EAST Search History

S12 4	762	call adj stack	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15
S12 5	86	(stack near5 (unwind\$3 un adj wind\$3)) and ((address\$3 data operation system user adj defin\$3 fatal over adj flow overflow under adj flow underflow protection undefined reset interrupt divide adj by adj zero privledged reserved trap undefined critical catastrophic) near5 (exception error interrupt))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15
S12 6	12	unwind adj table	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15
S12 7	5	(unwind adj table) and (call adj stack)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15
S12 8	4	(creat\$3 generat\$3 build\$3 compil\$3) adj5 unwind adj table	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15
S12 9	4	(creat\$3 generat\$3 build\$3 compil\$3) adj5 (unwind adj table call adj stack adj record)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15
S13 0	9	(creat\$3 generat\$3 build\$3 compil\$3) adj5 ((unwind un adj wind) adj table call adj stack adj3 (table record))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15
S13 1	1418	714/38.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15
S13 2	14	714/38.ccls. and unwind	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15
S13 3	13	(714/38.ccls. and unwind) not ((creat\$3 generat\$3 build\$3 compil\$3) adj5 ((unwind un adj wind) adj table call adj stack adj3 (table record)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15
S13 4	2102	714/37-39.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15

EAST Search History

S13 5	1345	714/37-39.ccls. and state	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15
S13 6	300	(714/37-39.ccls. and state) and stack	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15
S13 7	7	(714/37-39.ccls. and state) and stack adj unwind\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15
S13 8	112	(metadata meta adj data) near5 associat\$3 near5 (function procedure)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15
S13 9	37	(metadata meta adj data) adj5 associat\$3 adj5 (function procedure)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15
S14 0	7	unwind adj data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15
S14 1	1418	714/38.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15
S14 2	1805	translat\$3 adj10 (relationship)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15
S14 3	12	procedure adj (metadata meta adj data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15
S14 4	260	coutant.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15
S14 5	1	((("5327566" "5428779" "5530870" "5535397" "5564031" "5628016" "5640582").pn.) and unwind	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15
S14 6	253	walk\$3 near5 stack	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15

EAST Search History

S14 7	55	(walk\$3 near5 stack) and unwind	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15
S14 8	1	(generat\$3 creat\$3 build\$3 form\$3) near5 (meta adj data or data or metadata) near5 ((code or binary or executable) near (data or metadata) near relationship)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15
S15 0	88	(generat\$3 creat\$3) adj (metadata data meta adj data) adj (software program excutable)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15
S15 1	1	(generat\$3 creat\$3) adj (metadata data meta adj data) adj (about for) adj (software program excutable)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15
S15 2	313	((generat\$3 creat\$3) adj (metadata data meta adj data)) and profiler	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15
S15 3	212	(generat\$3 creat\$3) adj (profile adj data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15
S15 4	1	"5815720".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15
S15 5	198	(reorder re adj order) adj (procedure instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15
S15 6	2900	(binary adj5 (procedure instruction))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15
S15 7	380	(binary adj (procedure instruction))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15
S15 8	57	(reorder re adj order order) near5 (binary adj5 (procedure instruction))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15

EAST Search History

S15 9	1098	(block near5 (instruction procedure)) same (remap\$4 rewrit\$3 unwind\$3 reorder\$3 modif\$7 customiz\$5 re adj (map\$4 writ\$3 order\$3)) same (stack metadata meta adj data data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15
S16 1	165	((instruction procedure function code binary) near5 (relat\$3 coorelat\$3 coorespond\$3) near5 (stack metadata meta adj data data unwind stack adj walk)) and ((block near5 (instruction procedure)) same (remap\$4 rewrit\$3 unwind\$3 reorder\$3 modif\$7 customiz\$5 re adj (map\$4 writ\$3 order\$3)) same (stack metadata meta adj data data))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15
S16 2	2050	714/34.ccls. 714/35.ccls. 714/45.ccls. 714/38.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15
S16 3	105	(714/34.ccls. 714/35.ccls. 714/45.ccls. 714/38.ccls.) and ((instruction procedure function code binary) near5 (relat\$3 coorelat\$3 coorespond\$3) near5 (stack metadata meta adj data data unwind stack adj walk))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15
S16 5	0	("stack").PN.	USOCR; DERWENT	OR	OFF	2005/04/29 13:15
S16 7	1	((instruction procedure function code binary) near5 (relat\$3 coorelat\$3 coorespond\$3) near5 (stack metadata meta adj data data unwind stack adj walk)) and ((block near5 (instruction procedure)) same (remap\$4 rewrit\$3 unwind\$3 reorder\$3 modif\$7 customiz\$5 re adj (map\$4 writ\$3 order\$3)) same (stack metadata meta adj data data))	DERWENT	OR	ON	2005/04/29 13:15
S16 8	12	stack adj (walk\$3 unwind\$3)	DERWENT	OR	ON	2005/04/29 13:15
S16 9	281	exception adj handl\$4	DERWENT	OR	ON	2005/04/29 13:15
S17 0	58	call adj stack	DERWENT	OR	ON	2005/04/29 13:15

EAST Search History

S17 1	1	("5802371").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/04/29 13:15
S17 2	1	"5802371".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15
S17 3	93	(US-6618824-\$ or US-5335344-\$ or US-5193180-\$ or US-6604210-\$ or US-6293712-\$ or US-6173421-\$ or US-6014515-\$ or US-5339431-\$ or US-6735758-\$ or US-6662358-\$ or US-6658652-\$ or US-6553564-\$ or US-6513155-\$ or US-6728949-\$ or US-6539339-\$ or US-6349406-\$ or US-6094529-\$ or US-6484274-\$ or US-6381739-\$ or US-6182243-\$ or US-5450575-\$ or US-4720778-\$ or US-5699507-\$ or US-5675730-\$ or US-5600790-\$ or US-4694420-\$). did. or (US-3707725-\$ or US-6535903-\$ or US-6122757-\$ or US-6662356-\$ or US-5742827-\$ or US-5768595-\$ or US-5960198-\$ or US-6631514-\$ or US-5721927-\$ or US-5889999-\$ or US-5740354-\$ or US-5347649-\$ or US-6018799-\$ or US-5127103-\$).did. or (US-20040107217-\$ or US-20030023905-\$ or US-20030115582-\$ or US-20020032718-\$ or US-20040083460-\$ or US-20020112116-\$ or US-20030192036-\$ or US-20020124240-\$).did. or (US-20020188931-\$ or US-6293712-\$ or US-6014515-\$). did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/04/29 13:15

EAST Search History

S17 5	26	((US-6618824-\$ or US-5335344-\$ or US-5193180-\$ or US-6604210-\$ or US-6293712-\$ or US-6173421-\$ or US-6014515-\$ or US-5339431-\$ or US-6735758-\$ or US-6662358-\$ or US-6658652-\$ or US-6553564-\$ or US-6513155-\$ or US-6728949-\$ or US-6539339-\$ or US-6349406-\$ or US-6094529-\$ or US-6484274-\$ or US-6381739-\$ or US-6182243-\$ or US-5450575-\$ or US-4720778-\$ or US-5699507-\$ or US-5675730-\$ or US-5600790-\$ or US-4694420-\$). did. or (US-3707725-\$ or US-6535903-\$ or US-6122757-\$ or US-6662356-\$ or US-5742827-\$ or US-5768595-\$ or US-5960198-\$ or US-6631514-\$ or US-5721927-\$ or US-5889999-\$ or US-5740354-\$ or US-5347649-\$ or US-6018799-\$ or US-5127103-\$).did. or (US-20040107217-\$ or US-20030023905-\$ or US-20030115582-\$ or US-20020032718-\$ or US-20040083460-\$ or US-20020112116-\$ or US-20030192036-\$ or US-20020124240-\$).did. or (US-20020188931-\$ or US-6293712-\$ or US-6014515-\$). did.) and ((modif\$7 chang\$3 add\$3) near2 (code procedure function program binary) and zero)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/29 13:15
S17 6	1	"20030101380".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S17 8	23	((creat\$3 build\$3 compil\$3 stor\$3 produc\$3) near5 (metadata meta adj data)) near5 ((binary object executable machine) adj (code procedure function))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S17 9	259	stack near5 (unwind\$3 un adj wind\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S18 0	863	call adj stack	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49

EAST Search History

S18 1	102	(stack near5 (unwind\$3 un adj wind\$3)) and ((address\$3 data operation system user adj defin\$3 fatal over adj flow overflow under adj flow underflow protection undefined reset interrupt divide adj by adj zero privledged reserved trap undefined critical catastrophic) near5 (exception error interrupt))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S18 2	12	unwind adj table	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S18 3	5	(unwind adj table) and (call adj stack)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S18 4	4	(creat\$3 generat\$3 build\$3 compil\$3) adj5 unwind adj table	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S18 5	4	(creat\$3 generat\$3 build\$3 compil\$3) adj5 (unwind adj table call adj stack adj record)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S18 6	10	(creat\$3 generat\$3 build\$3 compil\$3) adj5 ((unwind un adj wind) adj table call adj stack adj3 (table record))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S18 7	1525	714/38.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S18 8	14	714/38.ccls. and unwind	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S18 9	13	(714/38.ccls. and unwind) not ((creat\$3 generat\$3 build\$3 compil\$3) adj5 ((unwind un adj wind) adj table call adj stack adj3 (table record)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S19 0	2267	714/37-39.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S19 1	1463	714/37-39.ccls. and state	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49

EAST Search History

S19 3	7	(714/37-39.ccls. and state) and stack adj unwind\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S19 4	138	(metadata meta adj data) near5 associat\$3 near5 (function procedure)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S19 5	42	(metadata meta adj data) adj5 associat\$3 adj5 (function procedure)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S19 6	8	unwind adj data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S19 9	14	procedure adj (metadata meta adj data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S20 0	263	coutant.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S20 1	1	((("5327566" "5428779" "5530870" "5535397" "5564031" "5628016" "5640582").pn.) and unwind	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S20 2	289	walk\$3 near5 stack	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S20 3	68	(walk\$3 near5 stack) and unwind	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S20 4	1	(generat\$3 creat\$3 build\$3 form\$3) near5 (meta adj data or data or metadata) near5 ((code or binary or executable) near (data or metadata) near relationship)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S20 6	97	(generat\$3 creat\$3) adj (metadata data meta adj data) adj (software program excutable)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S20 7	1	(generat\$3 creat\$3) adj (metadata data meta adj data) adj (about for) adj (software program excutable)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49

EAST Search History

S209	232	(generat\$3 creat\$3) adj (profile adj data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S210	1	"5815720".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S211	223	(reorder re adj order) adj (procedure instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S212	3099	(binary adj5 (procedure instruction))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S213	420	(binary adj (procedure instruction))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S214	61	(reorder re adj order order) near5 (binary adj5 (procedure instruction))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S217	169	((instruction procedure function code binary) near5 (relat\$3 coorelat\$3 coorespond\$3) near5 (stack metadata meta adj data data unwind stack adj walk)) and ((block near5 (instruction procedure)) same (remap\$4 rewrit\$3 unwind\$3 reorder\$3 modif\$7 customiz\$5 re adj (map\$4 writ\$3 order\$3)) same (stack metadata meta adj data data))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S218	2202	714/34.ccls. 714/35.ccls. 714/45.ccls. 714/38.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S219	109	(714/34.ccls. 714/35.ccls. 714/45.ccls. 714/38.ccls.) and ((instruction procedure function code binary) near5 (relat\$3 coorelat\$3 coorespond\$3) near5 (stack metadata meta adj data data unwind stack adj walk))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S221	0	("stack").PN.	USOCR; DERWENT	OR	OFF	2005/10/27 14:49

EAST Search History

S22 3	1	((instruction procedure function code binary) near5 (relat\$3 coorelat\$3 coorespond\$3) near5 (stack metadata meta adj data data unwind stack adj walk)) and ((block near5 (instruction procedure)) same (remap\$4 rewrit\$3 unwind\$3 reorder\$3 modif\$7 customiz\$5 re adj (map\$4 writ\$3 order\$3)) same (stack metadata meta adj data data))	DERWENT	OR	ON	2005/10/27 14:49
S22 4	12	stack adj (walk\$3 unwind\$3)	DERWENT	OR	ON	2005/10/27 14:49
S22 6	61	call adj stack	DERWENT	OR	ON	2005/10/27 14:49
S22 7	1	("5802371").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/10/27 14:49
S22 8	1	"5802371".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49

EAST Search History

S22 9	93	(US-6618824-\$ or US-5335344-\$ or US-5193180-\$ or US-6604210-\$ or US-6293712-\$ or US-6173421-\$ or US-6014515-\$ or US-5339431-\$ or US-6735758-\$ or US-6662358-\$ or US-6658652-\$ or US-6553564-\$ or US-6513155-\$ or US-6728949-\$ or US-6539339-\$ or US-6349406-\$ or US-6094529-\$ or US-6484274-\$ or US-6381739-\$ or US-6182243-\$ or US-5450575-\$ or US-4720778-\$ or US-5699507-\$ or US-5675730-\$ or US-5600790-\$ or US-4694420-\$). did. or (US-3707725-\$ or US-6535903-\$ or US-6122757-\$ or US-6662356-\$ or US-5742827-\$ or US-5768595-\$ or US-5960198-\$ or US-6631514-\$ or US-5721927-\$ or US-5889999-\$ or US-5740354-\$ or US-5347649-\$ or US-6018799-\$ or US-5127103-\$).did. or (US-20040107217-\$ or US-20030023905-\$ or US-20030115582-\$ or US-20020032718-\$ or US-20040083460-\$ or US-20020112116-\$ or US-20030192036-\$ or US-20020124240-\$).did. or (US-20020188931-\$ or US-6293712-\$ or US-6014515-\$). did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/10/27 14:49
----------	----	--	--------------------------------	----	-----	------------------

EAST Search History

S23 1	26	((US-6618824-\$ or US-5335344-\$ or US-5193180-\$ or US-6604210-\$ or US-6293712-\$ or US-6173421-\$ or US-6014515-\$ or US-5339431-\$ or US-6735758-\$ or US-6662358-\$ or US-6658652-\$ or US-6553564-\$ or US-6513155-\$ or US-6728949-\$ or US-6539339-\$ or US-6349406-\$ or US-6094529-\$ or US-6484274-\$ or US-6381739-\$ or US-6182243-\$ or US-5450575-\$ or US-4720778-\$ or US-5699507-\$ or US-5675730-\$ or US-5600790-\$ or US-4694420-\$). did. or (US-3707725-\$ or US-6535903-\$ or US-6122757-\$ or US-6662356-\$ or US-5742827-\$ or US-5768595-\$ or US-5960198-\$ or US-6631514-\$ or US-5721927-\$ or US-5889999-\$ or US-5740354-\$ or US-5347649-\$ or US-6018799-\$ or US-5127103-\$).did. or (US-20040107217-\$ or US-20030023905-\$ or US-20030115582-\$ or US-20020032718-\$ or US-20040083460-\$ or US-20020112116-\$ or US-20030192036-\$ or US-20020124240-\$).did. or (US-20020188931-\$ or US-6293712-\$ or US-6014515-\$). did.) and ((modif\$7 chang\$3 add\$3) near2 (code procedure function program binary) and zero)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S23 2	259	stack near5 (unwind\$3 un adj wind\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S23 3	863	call adj stack	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S23 4	4	(creat\$3 generat\$3 build\$3 compil\$3) adj5 unwind adj table	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S23 5	4	(creat\$3 generat\$3 build\$3 compil\$3) adj5 (unwind adj table call adj stack adj record)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49

EAST Search History

S23 6	1525	714/38.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S23 7	14	714/38.ccls. and unwind	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S23 8	2267	714/37-39.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S23 9	1463	714/37-39.ccls. and state	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S24 0	138	(metadata meta adj data) near5 associat\$3 near5 (function procedure)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S24 1	14	procedure adj (metadata meta adj data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S24 2	68	(walk\$3 near5 stack) and unwind	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S24 3	3099	(binary adj5 (procedure instruction))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S24 4	420	(binary adj (procedure instruction))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S24 6	2202	714/34.ccls. 714/35.ccls. 714/45. ccls. 714/38.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S24 8	0	("stack").PN.	USOCR; DERWENT	OR	OFF	2005/10/27 14:49
S25 0	1	"20030101380".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49

EAST Search History

S25 1	1	((("5327566" "5428779" "5530870" "5535397" "5564031" "5628016" "5640582").pn.) and unwind	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S25 2	1	(generat\$3 creat\$3 build\$3 form\$3) near5 (meta adj data or data or metadata) near5 ((code or binary or executable) near (data or metadata) near relationship)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S25 3	1	(generat\$3 creat\$3) adj (metadata data meta adj data) adj (about for) adj (software program excutable)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S25 4	1	"5815720".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S25 5	1	((instruction procedure function code binary) near5 (relat\$3 coorelat\$3 coorespond\$3) near5 (stack metadata meta adj data data unwind stack adj walk)) and ((block near5 (instruction procedure)) same (remap\$4 rewrit\$3 unwind\$3 reorder\$3 modif\$7 customiz\$5 re adj (map\$4 writ\$3 order\$3)) same (stack metadata meta adj data data))	DERWENT	OR	ON	2005/10/27 14:49
S25 6	1	("5802371").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/10/27 14:49
S25 7	1	"5802371".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S25 8	23	((creat\$3 build\$3 compil\$3 stor\$3 produc\$3) near5 (metadata meta adj data)) near5 ((binary object executable machine) adj (code procedure function))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S25 9	102	(stack near5 (unwind\$3 un adj wind\$3)) and ((address\$3 data operation system user adj defin\$3 fatal over adj flow overflow under adj flow underflow protection undefined reset interrupt divide adj by adj zero privledged reserved trap undefined critical catastrophic) near5 (exception error interrupt))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49

EAST Search History

S26 0	12	unwind adj table	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S26 1	5	(unwind adj table) and (call adj stack)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S26 2	10	(creat\$3 generat\$3 build\$3 compil\$3) adj5 ((unwind un adj wind) adj table call adj stack adj3 (table record))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S26 3	13	(714/38.ccls. and unwind) not ((creat\$3 generat\$3 build\$3 compil\$3) adj5 ((unwind un adj wind) adj table call adj stack adj3 (table record)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S26 4	7	(714/37-39.ccls. and state) and stack adj unwind\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S26 5	42	(metadata meta adj data) adj5 associat\$3 adj5 (function procedure)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S26 6	8	unwind adj data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S26 7	97	(generat\$3 creat\$3) adj (metadata data meta adj data) adj (software program excutable)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S26 8	61	(reorder re adj order order) near5 (binary adj5 (procedure instruction))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S26 9	12	stack adj (walk\$3 unwind\$3)	DERWENT	OR	ON	2005/10/27 14:49
S27 0	61	call adj stack	DERWENT	OR	ON	2005/10/27 14:49

EAST Search History

S27 1	93	(US-6618824-\$ or US-5335344-\$ or US-5193180-\$ or US-6604210-\$ or US-6293712-\$ or US-6173421-\$ or US-6014515-\$ or US-5339431-\$ or US-6735758-\$ or US-6662358-\$ or US-6658652-\$ or US-6553564-\$ or US-6513155-\$ or US-6728949-\$ or US-6539339-\$ or US-6349406-\$ or US-6094529-\$ or US-6484274-\$ or US-6381739-\$ or US-6182243-\$ or US-5450575-\$ or US-4720778-\$ or US-5699507-\$ or US-5675730-\$ or US-5600790-\$ or US-4694420-\$). did. or (US-3707725-\$ or US-6535903-\$ or US-6122757-\$ or US-6662356-\$ or US-5742827-\$ or US-5768595-\$ or US-5960198-\$ or US-6631514-\$ or US-5721927-\$ or US-5889999-\$ or US-5740354-\$ or US-5347649-\$ or US-6018799-\$ or US-5127103-\$).did. or (US-20040107217-\$ or US-20030023905-\$ or US-20030115582-\$ or US-20020032718-\$ or US-20040083460-\$ or US-20020112116-\$ or US-20030192036-\$ or US-20020124240-\$).did. or (US-20020188931-\$ or US-6293712-\$ or US-6014515-\$). did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/10/27 14:49
----------	----	--	--------------------------------	----	-----	------------------

EAST Search History

S27 2	26	((US-6618824-\$ or US-5335344-\$ or US-5193180-\$ or US-6604210-\$ or US-6293712-\$ or US-6173421-\$ or US-6014515-\$ or US-5339431-\$ or US-6735758-\$ or US-6662358-\$ or US-6658652-\$ or US-6553564-\$ or US-6513155-\$ or US-6728949-\$ or US-6539339-\$ or US-6349406-\$ or US-6094529-\$ or US-6484274-\$ or US-6381739-\$ or US-6182243-\$ or US-5450575-\$ or US-4720778-\$ or US-5699507-\$ or US-5675730-\$ or US-5600790-\$ or US-4694420-\$). did. or (US-3707725-\$ or US-6535903-\$ or US-6122757-\$ or US-6662356-\$ or US-5742827-\$ or US-5768595-\$ or US-5960198-\$ or US-6631514-\$ or US-5721927-\$ or US-5889999-\$ or US-5740354-\$ or US-5347649-\$ or US-6018799-\$ or US-5127103-\$).did. or (US-20040107217-\$ or US-20030023905-\$ or US-20030115582-\$ or US-20020032718-\$ or US-20040083460-\$ or US-20020112116-\$ or US-20030192036-\$ or US-20020124240-\$).did. or (US-20020188931-\$ or US-6293712-\$ or US-6014515-\$). did.) and ((modif\$7 chang\$3 add\$3) near2 (code procedure function program binary) and zero)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S27 3	223	(reorder re adj order) adj (procedure instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S27 4	169	((instruction procedure function code binary) near5 (relat\$3 coorelat\$3 coorespond\$3) near5 (stack metadata meta adj data data unwind stack adj walk)) and ((block near5 (instruction procedure)) same (remap\$4 rewrit\$3 unwind\$3 reorder\$3 modif\$7 customiz\$5 re adj (map\$4 writ\$3 order\$3)) same (stack metadata meta adj data data))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49

EAST Search History

S27 5	109	(714/34.ccls. 714/35.ccls. 714/45.ccls. 714/38.ccls.) and ((instruction procedure function code binary) near5 (relat\$3 coorelat\$3 coorespond\$3) near5 (stack metadata meta adj data data unwind stack adj walk))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S27 7	263	coutant.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S27 8	289	walk\$3 near5 stack	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S27 9	232	(generat\$3 creat\$3) adj (profile adj data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 14:49
S28 8	0	"05802371".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/10/31 11:07
S28 9	1	"5802371".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/10/31 11:07